

-0-0

п



### STRUCTURAL / CIVIL ENGINEERING GARDENING / LANDSCAPING PROFESSIONAL EXPERTISE WITH CORE COMPETENCIES

DISCOVER NOW!



humbaur.com

# PROFESSIONAL EXPERTISE WITH CORE COMPETENCIES <mark>></mark>

### **AROUND 40 YEARS' EXPERIENCE**

We have been one of the leading manufacturers of car trailers for around 40 years. Well over 1,200,000 trailers have left our premises since our company was founded. Nowadays, we produce around 60,000 units per year. And our wealth of experience is reflected in each of our trailers.

### HIGH QUALITY

Robust and long-lasting — that's what a trailer needs to be. We use outstanding components and first-rate workmanship to achieve this goal. Before we deliver each trailer, we put it through its paces.

### A WIDE RANGE OF TRANSPORTATION SOLUTIONS

Our offering covers a very wide range of uses. Whether you are looking for a trailer for private or commercial needs, we can provide you with the appropriate model. You can choose a maximum gross weight between 750 kg and 55 t.

### WIDE RANGE OF ACCESSORIES

Do you have very specific demands when it comes to your trailer? Thanks to a number of matching accessories, you can add to the comprehensive standard features to meet your requirements.

### CUSTOMER SERVICE YOU CAN RELY ON!

If your trailer has a gross weight of up to 3.5 t, your dealer near you will be happy to help. Owners of trailers with a gross weight of 5 t or above can use our direct service. Whether you need a spare part or have a guestion about how to use your trailer – we and your local dealer, will be happy to help. Additional benefits and services are available for a variety of heavy duty products!
















The HTK can be tilted backwards and sideways in a few simple steps.





# PROFESSIONAL EXPERTISE WITH CORE COMPETENCIES <mark>></mark>



Our HTK stands out as a result of their quality and a manual pump which can, on request, be replaced by an electric hydraulic pump. From 3 000 kg upwards, you get both the electrical and the manual pump. This allows simple and independent operation of your HTK in all applications.







### The HTK – simply convincing

### Indestructible

V-drawbar, tipper body and chassis hot-dip galvanised Steel tipper body, made out of one piece

### **Flexible**

completely removable drop sides, swivelling rear flap, can be tilted to three sides

### **Accessories** Highlights



### ALUMINIUM PANELS Stowable under the cargo bed





TELESCOPIC **CRANK SUPPORTS** Optimum stability, foldable





### Sophisticated usability and functionality



### STRUCTURAL CONSTRUCTION HORTICULTURE UNDERGROUND CONSTRUCTION LANDSCAPING

EASY DUTY HUMBAUR







**STEEL LATTICE EXTENSION** Perfect for gardening and landscaping





PARABOLIC SUSPENSION

Low suspension travel, maximum comfort



The parabolic suspension on the HTK three-way tipper gives you an extra dose of driving comfort, safety and robustness. The even distribution of the load optimally compensates for bumps on roads, even when fully loaded, ensuring perfect stability. The robustness of the parabolic suspension contributes to an extra-long service life.



### HTK 3000.31 with E-pump

### Three-way tipper

### **TECHNICAL DETAILS**

Interior dimensions	3140 × 1750 × 350 mm
Perm. total weight	3,000 kg
Load capacity	2,120 kg
Load height	745 mm



### +ACCESSORIES


Steel side walls black	only €219 <sup>•</sup>
Steel lattice extension	only €1,095'
Telescopic crank supports	only €195 <sup>•</sup>
Aluminium panels	only €749'

### FEATURES

- V-drawbar hot-dip galvanised
- Chassis and tipper body hot-dip galvanised
- Steel tilting bridge, manufactured in one piece
- Electric and hand pump
- Humbaur multifunctional lighting
- Side walls made of anodised aluminium, completely removable
- Rear panel can be pivoted
- Tie rings mounted in the bridge floor, tensile force 800 kg per tie ring
- Support wheel
- Plank shaft as preparation for aluminium screeds for easy retrofitting









Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!





**Need financing?** We are happy to create a custom financing offer!



\*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers. All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to ap ate information and to the standard vehicle without accessories. No liability is assumed for any errors. Illustrations similar, some illustrations show different equipment or special features. Version 06/2024 \_ V1


\*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers. All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to ap ate information and to the standard vehicle without accessories. No liability is assumed for any errors. Illustrations similar, some illustrations show different equipment or special features. Version 06/2024 \_ V1

By phone at **0821/24 929-0** or by email vertrieb@humbaur.com

EASY DUTY HUMBAUR



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!



Sale offers only valid in Italy, Norway, Finland, Sweden, Denmark and Luxembourg

**PROFESSIONAL EXPERTISE** 

WITH CORE COMPETENCIES <mark>></mark>



### HTK 3500.31 with E-pump

### Three-way tipper

### **TECHNICAL DETAILS**

**PASSENGER VEHICLE TRAILERS** 

Interior dimensions	3140 × 1750 × 350 mm
Perm. Total weight	3,500 kg
Load capacity	2,550 kg
Load height	760 mm

# only 😎 🖊

### +ACCESSORIES

Steel side walls black	only €219 <sup>•</sup>
Steel lattice extension	only €1,095 <sup>•</sup>
Telescopic crank supports	only €195 <sup>•</sup>
Aluminium panels	only €749'

### **FEATURES (both models)**

- V-drawbar hot-dip galvanised
- Chassis and tipper body hot-dip galvanised
- Steel tilting bridge, manufactured in one piece
- Electric and hand pump
- Humbaur multifunctional lighting
- Side walls made of anodised aluminium, completely removable
- Rear panel can be pivoted
- Tie rings mounted in the bridge floor, tensile force 800 kg per tie ring
- Support wheel
- Plank shaft as preparation for aluminium screeds for easy retrofitting

### ITK 3500.37 with E-pump

### Three-way tipper

### **TECHNICAL DETAILS**

Interior dimensions	3630 × 1855 × 350 mm
Perm. total weight	3,500 kg
Load capacity	2,485 kg
Load height	760 mm



+ACCESSORIES	
Steel side walls black	only €229'
Steel lattice extension	only €1,199' instead of €1,302'
Telescopic crank supports	only €195' instead of 226'
Aluminium panels	only €749 <sup>.</sup>

### HTK 3500.41 with E-pump

Three-way tipper

### **TECHNICAL DETAILS**

Interior dimensions	$4100\times2100\times350~\text{mm}$
Perm. total weight	3,500 kg
Load capacity	2,315 kg
Load height	760 mm




### +ACCESSORIES

Steel side walls black	only €319' instead of €352'
Steel lattice extension	only €1,299
Telescopic crank supports	only €195'
Aluminium panels	only €749'

### FEATURES (both models)

- V-drawbar hot-dip galvanised
- Chassis and tipper body hot-dip galvanised
- Steel tilting bridge, manufactured in one piece
- Electric and hand pump
- Humbaur multifunctional lighting
- Side walls made of anodised aluminium, completely removable
- Rear panel can be pivoted
- Tie rings mounted in the bridge floor, tensile force 800 kg per tie ring
- Support wheel
- Plank shaft as preparation for aluminium screeds for easy retrofitting







\*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers. All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to a tion and to the standard vehicle without accessories. No liability is assumed for any errors. Illustrations similar, some illustrations show different equipment or special features. Version 06/2024 \_ V1







Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Sale offers only valid in Italy, Norway, Finland, Sweden, Denmark and Luxembourg

HTK

\*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers. All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to a tion and to the standard vehicle without accessories. No liability is assumed for any errors. Illustrations similar, some illustrations show different equipment or special features. Version 06/2024 \_ V1

By phone at 0821/24 929-0 or by email vertrieb@humbaur.com

custom financing offer!

EASY DUTY HUMBAUR



ENGER VEHICLE TRAILERS

### HTK 3500.41 Tridem with E-pump

Three-way tipper

### **TECHNICAL DETAILS**

Interior dimensions	4100 × 2100 × 350 mm
Perm. total weight	3,500 kg
Load capacity	2,250 kg
Load height	750 mm



+ACCESSORIES	
Steel side walls black	only €319 <sup>•</sup> instead of €352 <sup>•</sup>
Steel lattice extension	only €1,299'
Telescopic crank supports	only €195 <sup>•</sup>
Aluminium panels	only €749 <sup>•</sup>



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

### By phone at **0821/24 929 - 0** or by email vertrieb@humbaur.com

Sale offers only valid in Italy, Norway, Finland, Sweden, Denmark and Luxembourg ROFESSIONAL EXPERTISE

'H GORE COMPETENCIES <mark>></mark>



### HTK 3500.31 with E-pump

### Three-way tipper

### With **HDrive P** parabolic suspension

### **TECHNICAL DETAILS**

**PASSENGER VEHICLE TRAILERS** 

Interior dimensions	3140 × 1750 × 350 mm
Perm. total weight	3,500 kg
Load capacity	2,460 kg
Load height	760 mm

# only 37,8

### +ACCESSORIES

Steel side walls black	only €219 <sup>•</sup> instead of €243 <sup>*</sup>
Steel lattice extension	only €1,095'
Telescopic crank supports	only €195 <sup>•</sup>
Aluminium panels	only €749 <sup>.</sup>

### FEATURES (both models)

- V-drawbar hot-dip galvanised
- Hot-dip galvanised chassis and tipper body with parabolic suspension
- Steel tilting bridge, manufactured in one piece, hot-dip galvanised
- Electric hydraulic pump and emergency hand pump as standard
- Humbaur multi-functional lighting
- Side walls made of anodised aluminium, completely removable
- Rear panel can be pivoted
- Tie rings mounted in the bridge floor, tensile force 800 kg per tie ring
- Fully automatic support wheel
- Plank shaft as preparation for aluminium screeds for easy retrofitting

### HTK 3500.37 with E-pump

### Three-way tipper

### With H Drive P parabolic suspension

### **TECHNICAL DETAILS**

3630 × 1855 × 350 mm
3,500 kg
2,380 kg
760 mm


# onlu 🕻

+ACCESSORIES	
Steel side walls black	only €229'
Steel lattice extension 600 mm	only €1,199'
Telescopic crank supports	only €195' instead of 226"
Aluminium panels	only €749 <sup>.</sup> instead of €834'





PARABOLIC SUSPENSION Low suspension travel, maximum comfort





Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

By phone at 0821/24 929-0 or by email vertrieb@humbaur.com





**Need financing?** We are happy to create a custom financing offer!



\*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers. All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to a different equipment or special features. Version 06/2024 \_ V1

\*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers. All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to a ion and to the standard vehicle without accessories. No liability is assumed for any errors. Illustrations similar, some illustrations show different equipment or special features. Version 06/2024 \_ V1

EASY DUTY HUMBAUR



### HTK 3500.41 with E-pump

### Three-way tipper

With H Drive P parabolic suspension

### **TECHNICAL DETAILS**

Interior dimensions	4100 × 2100 × 350 mm
Perm. total weight	3,500 kg
Load capacity	2,240 kg
Load height	760 mm



### ACCESSODIES

ACCESSORIES	
Steel side walls black	only €319'
Steel lattice extension	only €1,299
Telescopic crank supports	only €195' instead of 226'

### Aluminium panels

### FEATURES

- V-drawbar hot-dip galvanised
- Hot-dip galvanised chassis and tipper body with parabolic suspension

only €749

- Steel tilting bridge, manufactured in one piece, hot-dip galvanised
- Electric hydraulic pump and emergency hand pump as standard
- Humbaur multi-functional lighting
- Side walls made of anodised aluminium, completely removable
- Rear panel can be pivoted
- Tie rings mounted in the bridge floor, tensile force 800 kg per tie ring
- Fully automatic support wheel
- Plank shaft as preparation for aluminium screeds for easy retrofitting

Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

### 

Sale offers only valid in Italy, Norway, Finland, Sweden, Denmark and Luxembourg

### By phone at **0821/24 929 - 0** or by email vertrieb@humbaur.com

**PROFESSIONAL EXPERTISE** 

WITH CORE COMPETENCIES 💦



### HTK 2700.27

Three-way tipper

**PASSENGER VEHICLE TRAILERS** 

With HOT-DIP GALVANISED STEEL SIDE WALLS

### **TECHNICAL DETAILS**

Interior dimensions	$2660\times1490\times400~\text{mm}$
Perm. total weight	2,700 kg
Load capacity	1,970 kg
Load height	725 mm

## only **€6,490**\*

### +ACCESSORIES

Telescopic crank supports	only €195 <sup>•</sup> instead of €226 <sup>•</sup>
Aluminium panels	only €749 <sup>•</sup>

### FEATURES

- Hot-dip galvanised steel side walls, completely removable, 400 mm high
- V-drawbar hot-dip galvanised
- Tilting steel bridge, manufactured in one piece
- Chassis, tipper body and drop sides hot-dip galvanised
- Hand pump, optional electric hydraulic pump (accessory)
- Humbaur multi-functional lighting
- 13-pin plug and reversing light
- Rear panel can be pivoted
- Tie rings mounted in the bridge floor, tensile force 800 kg per tie ring
- Screed shaft as preparation for aluminium screeds for easy retrofitting
- Support wheel

### ITK 3000.31 with E-pump

Three-way tipper With HOT-DIP GALVANISED STEEL SIDE WALLS

### **TECHNICAL DETAILS**

Interior dimensions	$3130\times1740\times400~\text{mm}$
Perm. total weight	3,000 kg
Load capacity	2,060 kg
Load height	745 mm

## only **€7,790**\*

### +ACCESSORIES

Telescopic crank supports	only €195' instead of €226'
Aluminium panels	only €749'


### **FEATURES**

- Hot-dip galvanised steel side walls, completely removable, 400 mm high
- V-drawbar hot-dip galvanised
- Tilting steel bridge, manufactured in one piece
- Chassis, tipper body and drop sides hot-dip galvanised
- Electro and hand pump
- Humbaur multi-functional lighting
- 13-pin plug and reversing light
- Rear panel can be pivoted
- Tie rings mounted in the bridge floor, tensile force 800 kg per tie ring
- Screed shaft as preparation for aluminium screeds for easy retrofitting
- Support wheel









Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Sale offers only valid in Italy, Norway Finland, Sweden, Denmark and Luxembourg



**Need financing?** We are happy to create a custom financing offer!



\*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers. All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to a tion and to the standard vehicle without accessories. No liability is assumed for any errors. Illustrations similar, some illustrations show different equipment or special features. Version 06/2024 \_ V1

Only at participating merchants. The technical data refers to a different equipment or special features. Version 06/2024 \_ V1

12

By phone at 0821/24 929-0 or by email vertrieb@humbaur.com \*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers. All prices are non-binding price recommendations of the manufacturer ion and to the standard vehicle without accessories. No liability is assumed for any errors. Illustrations similar, some illustrations show

EASY DUTY HUMBAUR



**SSENGER VEHICLE TRAILERS** 

### **HOT-DIP GALVANISED** STEEL SIDE WALL, 400 mm high Even more stability for heavy loads





Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

By phone at **0821/24 929 - 0** or by email vertrieb@humbaur.com

Sale offers only valid in Italy, Norway, Finland, Sweden, Denmark and Luxembourg PROFESSIONAL EXPERTISE WITH CORE COMPETENCIES N



Three-way tipper With HOT-DIP GALVANISED STEEL SIDE WALLS

HTK 3500.31 with E-pump

### **TECHNICAL DETAILS**

**PASSENGER VEHICLE TRAILERS** 

Interior dimensions	$3130\times1740\times400~\text{mm}$
Perm. Total weight	3,500 kg
Load capacity	2,490 kg
Load height	745 mm

# only **€8,590**\*

### +ACCESSORIES

Telescopic crank supports	only €195 <sup>•</sup>
Aluminium panels	only €749 <sup>.</sup>

### **FEATURES (both models)**

- Hot-dip galvanised steel side walls, completely removable, 400 mm high
- V-drawbar hot-dip galvanised
- Tilting steel bridge, manufactured in one piece
- Chassis, tipper body and drop sides hot-dip galvanised
- Electro and hand pump
- Humbaur multi-functional lighting
- 13-pin plug and reversing light
- Rear panel can be pivoted
- Tie rings mounted in the bridge floor, tensile force 800 kg per tie ring
- Screed shaft as preparation for aluminium screeds for easy retrofitting
- Support wheel

### HTK 3500.37 with E-pump

Three-way tipper With HOT-DIP GALVANISED STEEL SIDE WALLS

### **TECHNICAL DETAILS**

Interior dimensions	$3620\times1845\times400~\text{mm}$
Perm. total weight	3,500 kg
Load capacity	2,425 kg
Load height	760 mm


# only **€9,690**\*

+ACCESSORIES	
Telescopic crank supports	only €195' instead of €226'
Aluminium panels	only €749









Do you have any questions, or would you like

a personal consultation? We look forward to hearing from you!

By phone at 0821/24 929-0 or by email vertrieb@humbaur.com





**Need financing?** We are happy to create a custom financing offer!



\*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers. All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to a different equipment or special features. Version 06/2024 \_ V1

\*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers. All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to ap ate information and to the standard vehicle without accessories. No liability is assumed for any errors. Illustrations similar, some illustrations show different equipment or special features. Version 06/2024 \_ V1

### STRUCTURAL CONSTRUCTION HORTICULTURE UNDERGROUND CONSTRUCTION LANDSCAPING

EASY DUTY HUMBAUR



**SSENGER VEHICLE TRAILERS** 




### **HOT-DIP GALVANISED** STEEL SIDE WALL, 400 mm high

Even more stability for heavy loads





Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!



ate information and to the standard vehicle without accessories. No liability is assumed for any errors. Illustrations similar, some illustrations show

Finland, Sweden, Denmark and Luxembourg

Sale offers only valid in Italy, Norway,

HEAVY-DUTY TRAILERS

STRUCTURAL CONSTRUCTION HORTICULTURE UNDERGROUND CONSTRUCTION LANDSCAPING

PROFESSIONAL EXPERTISE WITH CORE COMPETENCIES N	MODEL CHASSIS	<ul><li>Axles fr</li><li>Mainter</li></ul>
	BRAKING SYSTEM	<ul><li>Manufa</li><li>ABS bra</li></ul>
With a permitted total weight of 13.6 metric tons, the HTK 13t can take precisely the extra load         HTK 135024       you need. It is best suited for towing vehicles up to 7.49 metric tons. Despite the high total weight, you can use it with a 40 mm towing eye. These models impress most of all thanks to the generous         Three-way tipper       dimensions of their undercarriage and tipping bridge frames.		with AL 2 non-ii Spindle
They set the bar for durability and reliability.  TECHNICAL DETAILS  Interior dimensions 5030 × 2420 × 500 mm	ELECTRICS	<ul> <li>24-volt and LED</li> <li>15-pin of</li> </ul>
Perm. total weight13,000 kgLoad capacity9,700 kgLoad height990 mm	TOWBAR SYSTEM	<ul><li>Galvani</li><li>Stepless</li></ul>
HUMBAUR	DRIVING FRAME	<ul><li>Solid, w</li><li>Lockabl integrat</li></ul>
AVAILABLE IMMEDIATELY	SUPPORTS	<ul><li> Reinford</li><li> 2 telesco</li></ul>
The second	TIPPER BRIDGE	<ul> <li>Bridge fl</li> <li>Reinforc</li> <li>4 rocking</li> <li>Laser-we</li> <li>Side plate</li> <li>Side plate</li> <li>Side plate</li> <li>Solid ga</li> <li>Side plate</li> <li>Side plate</li> </ul>
	LOAD SECURING	<ul><li>5 pairs of</li><li>Hydraul</li></ul>
		(max. 2 • Five-leve • SVK BG
Ingenious functionality down to the last detail	ADDITIONAL EQUIPMENT	<ul> <li>Mudgu</li> <li>Side an</li> <li>2 whee</li> </ul>
		au hava aa



**Need financing?** We are happy to create a custom financing offer!



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Sale offers only valid in Italy, Norway, Finland, Sweden, Denmark and Luxembourg



**Need financing?** We are happy to create a

custom financing offer!

\*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers. All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to a ste information and to the standard vehicle without accessories. No liability is assumed for any errors. Illustrations similar, some illustrations show 17 different equipment or special features. Version 06/2024 \_ V1

\*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers. All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to a tion and to the standard vehicle without accessories. No liability is assumed for any errors. Illustrations similar, some illustrations show different equipment or special features. Version 06/2024 \_ V1

By phone at 0821/24 929-0 or by email vertrieb@humbaur.com

16

### STRUCTURAL CONSTRUCTION HORTICULTURE UNDERGROUND CONSTRUCTION LANDSCAPING

from renowned manufacturers

- enance-free parabolic suspension with load compensation facturer's choice of tyres
- raking system in accordance with ECE guidelines, ALB function
- -interchangeable red/yellow ISO 1728
- e parking brake
- It lighting system with multi-chamber rear lights ED side marker lights n connector plug for lighting
- nised towbar, with Ø 40 mm screw-in towbar eye essly adjustable coupling height via crank
- welded, hot-dip galvanised chassis frame ble stowage slot with plastic rollers for 2 optional access ramps ated into the frame
- prced 12 t geared support winch with load and high-speed gear scopic folding supports on the left and right at the rear of the vehicle
- floor made of 4 mm fine-grained steel
- prced bridge frame, hot-dip galvanised
- ng ball bearings with 2 non-interchangeable rocking bearing pins
- velded high-quality steel side plates, 500 mm high
- ates can be folded sideways and backwards, removable and ling with screwed central locking system
- lates have a fully hot-dipped galvanised finish
- ble and removable rear stanchions, galvanised
- alvanised steel bulkhead, can be folded forwards
- late lifting springs on the lateral side plates

s of lashing rings 6 t, set into bridge floor

- lic three-sided tilt control, controlled via the towing vehicle 200 bar)
- vel telescopic cylinder with lift limiter and safety ropes G3 hydraulic plug-in coupling as a single-circuit connection
- uard on the front and rear axle with splash guard system nd rear contour marking
- el chocks with holder, space for single-line licence plate

Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

### By phone at **0821/24 929 - 0** or by email vertrieb@humbaur.com

Finland, Sweden, Denmark and Luxembourg

Sale offers only valid in Italy, Norway,





# PROFESSIONAL EXPERTISE WITH CORE COMPETENCIES N

### HTK 145024

Three-way tipper

### **TECHNICAL DETAILS**

Interior dimensions	5030 × 2420 × 500 mm
Perm. total weight	14,400 kg
Load capacity	10,400 kg
Loading height	1070 mm

We have increased the payload of the HTK 14 t again. It is therefore best suited for towing vehicles over 7.49 metric tons. Despite the high total weight, you can use it with a 40 mm towing eye. These models impress most of all thanks to the generous dimensions of their undercarriage and tipping bridge frames. They set the bar for durability and reliability.





AXLES	SAF
SUSPENSION	Mair
TYRES	Man
BRAKING SYSTEM	ABS with ABS Spin 2 frc
	2111

FRAME	• Soli • Loc
SUPPORTS	• Reii • 2 te

### HYDRAULICS

ŀ	IV
, 2	50

### TIPPER BRIDGE


	Keii
	(op
	4 rc
	Las
	Side




### ADDITIONAL EQUIPMENT

- "humbaur.com" rear apron









Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Ingenious functionality down to the last detail



HUMBAUR



ilar. some illu nt or sp<u>ecial feature</u>

> **Need financing?** We are happy to create a custom financing offer!



### By phone at **0821/24 929 - 0** or by email vertrieb@humbaur.com

\*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers. All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to a different equipment or special features. Version 06/2024 \_ V1

By phone at **0821/24 929-0** or by email vertrieb@humbaur.com

18

### STRUCTURAL CONSTRUCTION HORTICULTURE UNDERGROUND CONSTRUCTION LANDSCAPING

EASY DUTY HUMBAUR

### axles

ntenance-free parabolic suspension with load balancing

ufacturer's choice of tyres with steel rims

- braking system in accordance with ECE guidelines,
- ALB function
- connector ISO 7638
- dle parking brake
- ont ISO 1728 interchangeable coupling heads in red/yellow

• 24V lighting system with multi-chamber tail lights and LED side marker lights • 15-pin connector for lighting

DRAWBAR SYSTEM • Tow bar with 40-mm-diameter DIN screw towing ring, galvanised, can be steplessly adjusted using crank handle

> l, welded and hot-dip galvanised frame able slot for 2 optional ramps built into the frame

prced 12 t gear-supported jack with load and overdrive speed escopic folding supports on both sides at the rear of the vehicle

• Hydraulic three-sided tilt control, controlled via the towing vehicle (max. 200 bar)

-stage, hard chrome-plated cylinder with stroke limiter and safety cables BG3 hydraulic plug-in coupling as a single-circuit connection

• Bridge floor made of 4 mm fine-grained steel

- orced bridge frame with V-shaped joists, hot-dip galvanised cal wave formation is possible due to hot-dip galvanising)
- cking ball bearings with 2 interchangeable rocking bearing pins r-welded high-quality steel side plates 500mm high
- e plates can be folded sideways and backwards, removable and swivelling with central locking system
- Removable galvanised rear stanchions
- Side plate lifting springs on the lateral side plates
- Solid steel bulkhead, removable

• Mudguard on the front and rear axle with splash guard system

- 2 wheel chocks with holder
- Side and rear contour marking
- Space for single-line registration plate

Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Sale offers only valid in Italy, Norway, Finland, Sweden, Denmark and Luxembourg

ion and to the standard vehicle without accessories. No liability is assumed for any errors. Illustrations similar, some illustrations show

HEAVY-DUTY TRALERS





# PROFESSIONAL EXPERTISE WITH CORE COMPETENCIES N

HTK 195024						• SAF • Pne eleo • Mar
					BRAKING SYSTEM	
Three-way tipper	,					ECE • 2 fr
TECHNICAL DETAIL	.s					• 2 m • Spri
Interior dimensions	5010 × 2420 × 900 mm					- opn
Perm. total weight	19,000 kg				ELECTRICS	• 24V
Load capacity	14,900 kg					LED
Load height	1,495 mm					• 15-
					DRAWBAR SYSTE	M • Dra
						• Scre
onlu 🔫 🚬	7,700* (433,415*	s interest of states				
instead of	f €33,415*		1 %		DRIVING FRAME	
	Ma					• Soli
					SUPPORTS	• Reir
STURAUL	ABLE 4				TIPPER BRIDGE	• Fixe
	ATELY ST				11	• Tipp
						• Side
4						swiv
			See 1997			<ul> <li>Rear two</li> </ul>
	1.11			<i>s</i> ///		• Aut
	The second se			20		• Fron
•	V 🕹					in R
				Illustrations similar, some illustrations show	HYDRAULICS	• Hyd
				different equipment or special features.		• Thre
	<	-				• 2nd

With a permitted total weight of 19 metric tons, the HTK 19 is not only meant for bulk goods such as dirt, sand, gravel and concrete, but also for building materials such as paving stones and concrete blocks. Constructed to accommodate pallet widths, the tandem three-way tipper also allows for the secure transport of palleted goods. Its optimal driving and tilting characteristics make it an indispensable companion, especially in heavy-duty applications — and all at a relatively low tare weight. The tipping bridge is provided with cathodic dip-paint coating and lacquer as standard.



Ingenious functionality down to the last detail



Need financing?
We are happy to create
custom financing offer!

**Need financing?** 

We are happy to create a custom financing offer!



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Sale offers only valid in Italy, Norway, Finland, Sweden, Denmark and Luxembourg

By phone at **0821/24 929-0** or by email vertrieb@humbaur.com \*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers. All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to a tion and to the standard vehicle without accessories. No liability is assumed for any errors. Illustrations similar, some illustrations show different equipment or special features. Version 06/2024 \_ V1

\*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers. All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to a different equipment or special features. Version 06/2024 \_ V1

€

-00-

### STRUCTURAL CONSTRUCTION HORTICULTURE UNDERGROUND CONSTRUCTION LANDSCAPING

EASY DUTY HUMBAUR

- AF axles with drum brakes eumatic suspension with shock absorbers,
- lectronically controlled for tipping stabilisation
- lanufacturer's choice of tyres
- 3S brake system with stability programme according to CE guidelines
- front ISO 1728 interchangeable coupling heads in red/yellow pring-loaded parking brake
- V lighting system with multi-chamber tail lights and D side marker lights -pin connector for lighting
- rawbar screwed in, galvanised and cranked rew drawbar eye Ø 50 mm
- id, welded, hot-dip galvanised chassis frame
- nforced 12 t geared support winch with load and high-speed gear
- ed front wall made of Hardox<sup>®</sup>
- per bridge floors made of Hardox<sup>®</sup>
- le walls made of Hardox<sup>®</sup> 900x3 mm,
- velling with central locking system
- ar wall made of Hardox<sup>®</sup> 900x3 mm, pressed between
- o sturdy stanchions, mounted on swivel bearings
- tomatic tailgate unlocking
- nt wall and drop sides KTL- and powder-coated,
- draulic three-sided tilt control, controlled via the towing vehicle
- + 3rd level salt bath nitrided, with lift limiter and safety ropes • SVK BG3 hydraulic plug-in coupling as a single-circuit connection

### ADDITIONAL EQUIPMENT

- 2 pairs of single wheel mudguards
- Side impact protection up to 1st axle, foldable
- Side and rear contour marking
- 2 wheel chocks with holders, space for single-line licence plate

Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

### By phone at **0821/24 929 - 0** or by email vertrieb@humbaur.com

Finland, Sweden, Denmark and Luxembourg

Sale offers only valid in Italy, Norway,






# **ROFESSIONAL EXPERTISE** TH CORE COMPETENCIES N



€ -00-



optimal load securing.



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

By phone at **0821/24 929-0** or by email vertrieb@humbaur.com



Ingenious functionality and useful accessories



Need financing? We are happy to create a custom financing offer!



\*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers. All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to ap different equipment or special features. Version 06/2024 \_ V1

22

### STRUCTURAL CONSTRUCTION HORTICULTURE UNDERGROUND CONSTRUCTION LANDSCAPING

EASY DUTY HUMBAUR



• Axles from renowned manufacturers; SMB

• Low-maintenance parabolic suspension with load balancing

• Manufacturer's choice of tyres on steel rims

**BRAKING SYSTEM** • ABS braking system in accordance with ECE directive

• with ALB function

ABS plug connection ISO 7638

• Spindle parking brake

• 2 front ISO 1728 interchangeable coupling heads in red/yellow

• Multi-voltage lighting system in LED version; 15-pin connector plug for lighting

**TOWBAR SYSTEM** • Towbar with Ø 40 mm DIN screw towing ring, galvanised, can be infinitely adjusted using crank handle

> • Solid, welded chassis frame, hot dip galvanised • Low height, loading area just between the wheels • Fixed, hot-dip galvanised front and side walls • Rear corner stanchions stowable

• Flooring made from 40 mm softwood planks

• 2 hinged steel ramps, galvanised, can be moved sideways • Ramp decking made of 40 mm softwood planks • Ramp lifter 1 gas strut per ramp • Ramp safety device on rear stanchion

• Reinforced 12 metric ton gear-supported jack with power and fast gears • 2x support, can be folded and telescoped

• Steel mudguards with anti-spray mats


- Side collision protection rigidly attached, from the start of
- the bridge to the 1st axle
- Contour markings on the sides and rear
- 2 wheel chocks with holde
- Space for two-line licence plate

Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

### By phone at **0821/24 929 - 0** or by email vertrieb@humbaur.com

Sale offers only valid in Italy, Norway, Finland, Sweden, Denmark and Luxembourg

HEAVY-DUTY TRALERS





### Rear tipper K

The HUK rear tippers are available as single axle or tandem-axle models. These trailers are characterised particularly by the galvanised bridge plate with outer frame V-groove and recessed tie-down rings. The tipping angle is 45 degrees. All of the models can be retrofitted with the electric pump and grid attachment and aluminium side wall panels.







### Construction machine transporter

Do you regularly have to transport light or medium-dutyplant or diggers? The HS is designed for daily transportation with its solid construction. The low loading height facilitates loading. Aluminium chequer plates, mudguards that can be walked on and protected lighting units make it particularly suitable for everyday use.

HDrive P Also available with HDrive P parabolic suspension!



ramps, which can be adjusted from side to side, it is safe and easy to load in numerous situations. Choose between a straight or a sloping bed.



### STRUCTURAL CONSTRUCTION HORTICULTURE UNDERGROUND CONSTRUCTION LANDSCAPING

EASY DUTY HUMBAUR







### HTD

### Drehschemel-Tieflader

A classic with an offset or straight bed. Optional twist-lock locking and the straight bed is ideal for transporting containers. At the transition, the offset bed serves as a stop for wheeled or tracked vehicles. The tailgate can be propped up, lowered or driven on using the solidly constructed ramps.

The 4-axle model from the HTD range also has a rear axle which can be lowered to allow for easy loading of the vehicle. Choose between three different heights for the drawbar.

The 5-axle flatbed turntable HTD carries excavators, construction machinery and even the heaviest equipment up to a good 40 metric tons with ease. The extremely flat ramp, which can be optimally supported by hydraulics, ensures secure loading.

TWIST LOCKS





Transport construction vehicles such as excavators, wheeled loaders and road pavers, as well as construction machines and heavy equipment safely and easily. The HTS dropdeck flatbed is also suitable for the transport of containers.



### STRUCTURAL CONSTRUCTION HORTICULTURE UNDERGROUND CONSTRUCTION LANDSCAPING

EASY DUTY HUMBAUR





/arious drive-up vidths can be set mmediately, either mechanically or hydraulically



### Turntable construction material trailers

The combination of a flatbed and a turntable not only complies with industry standards in full, but also impresses with its well-thought-out details and wide range of accessories. The optimal transport solution for your building materials pallets.



Your Humbaur contact in your area

Do you have any questions about this or another trailer from our range or would you like a personal consultation? We look forward to hearing from you.

Contact us by phone on **0821 / 24 929 - 0** or by email at **info@humbaur.com** 

\* Illustrations are similar. Our general terms of delivery and payment, which can be viewed at humbaur.com/agb, apply. Valid only for Germany. Subject to change without notice. Errors excepted. All information is provided without guarantee. Images: Humbaur GmbH, Adobe Stock, Version 06/24 V1